Power Team®

HYDRAULIC PUMPS, CYLINDERS, JACKS, PULLERS & TOOLS

SPX_®








ABOUT POWER TEAM



A Broad & Growing Line of Problem Solving Products



The early origins of Power Team date back over seven decades. From this beginning, Power Team has emerged as a global supplier of hydraulic and mechanical tools, serving a broad range of industrial and construction markets.

A Pacesetter in Hydraulic Technologies

Power Team's history of designing and producing high pressure (10,000psi/700 bar) hydraulics is well established. Through innovation, experience, new products and technology Power Team serves a broad range of industrial and construction markets.

Creative Solutions


New products and inventive solutions are continually added to the growing Power Team product portfolio of mechanical and hydraulic tools. Special versions of many of these products are available upon request.

The Power Team Commitment to Quality

Power Team is certified to the ISO 9000 Quality Management system. This industry distinction is underscored by Power Team's Lifetime Marathon Warranty.

Product Availability and Service

A worldwide network of Power Team distributors and service centers assures local product, parts and service availability.



SPX Bolting Systems Hydraulic Pumps & Torque Wrenches



Ideal for the Bolting Industry Portable Hydraulic Pumps

- High speed for high productivity Infinity® Pumps* Feature Continuous flow based on hydraulic pressure
- Electric and air powered
- Continuous duty rating

SPX Bolting Systems Torque Wrenches

- Light weight, low clearance
- Superior torsional strength
- Up to 28,800 ft. lbs. of torque.

■ Why SPX is Best

- SPX Bolting Systems pumps have higher, smoother flow throughout the pressure curve.
- The Payoff The largest flow increase is between 1,000 & 5,000 psi, where torque wrenches normally operate - dramatically increasing productivity.

■ Why SPX Infinity® is the Best of the Best

- SPX Infinity (ISP) flow continually changes based on pressure – making maximum horsepower and flow at all pressures.*
- * ISP technology is exclusive to the Infinity® line.

HYDRAULIC PUMPS

Hand, Air, Electric & Gas Pumps for Every Operation

A. Hydraulic Hand Pumps

- Steel or aluminum construction. yet light in weight for portability, the wide range of Power Team hand pumps is ideal for powering single-acting or double-acting cylinders and hydraulic tools.
- Certain Single-speed models (P12, P23, P55) are primarily for use with single-acting hydraulic cylinders.
- 2-speed pumps provide fast cylinder piston approach to the work to reduce the number of handle strokes needed.

B. Air/Hydraulic Pumps

- For powering single-acting cylinders and portable hydraulic tools.
- 2-speed pumps offer higher output and efficiency.





C. Electric/Hydraulic Pumps

- All Power Team electric/hydraulic pumps are 2-speed models, offering faster cylinder extension.
 Electric motors range from 1/4 hp to 10 hp.
- For powering cylinders or tools up to 10,000 psi (700 bar).
- Battery-operated pumps are ideal for powering portable tools such as spreaders, nut splitters, pipe flange spreaders, etc.
- Well known for reliability,
 Vanguard[®] pumps have been continually upgraded for over 40 years. In fact, some of the originals are still in service.
- Power Team offers assembleto-order (ATO) electric/hydraulic pumps, built to fit each specific application.

D. Gasoline-Driven Hydraulic Pumps

 Readily portable; popular in the railroad, rescue and construction markets.

HYDRAULIC CYLINDERS

Reliable Hydraulic Cylinders for Every Task

Designed for Operating Pressures to 10,000 psi (700 bar)

- Single-acting, double-acting and pull-type cylinders are available. Meet requirements of ANSI B30.1 and CE directives.
- Capacities range from 2 to 1,220 tons, with stroke lengths of 5/16" (8mm) to 20-1/8" (511mm).
- Swivel caps are standard on selected Power Team cylinder series.

A. C Series Cylinders

 C Series cylinders have threaded collars, base mounting holes and piston rod ends for easy mounting.

B. R Series Cylinders

 Single-Acting Load Return.
 High tonnage, low cycle, gravity return.

C. Aluminum Cylinders

 Power Team originated the aluminum cylinder design offering half the weight of steel cylinders.





- 6 -



D. Center-Hole Models

 Center-Hole models enable extension of cables, screws, threaded rod etc., through the cylinder.

E. Shorty, Low Profile and Pancake Cylinders

 Plenty of force in a compact package.

F. Locking Collar Cylinders

 Need to hold the load? Locking collar cylinders are the answer.

G. Double Acting Cylinders

 Ideal for construction, bridge, mining, shipyard and utility. Heavy duty load cap with built-in safety relief valve prevents over-pressurization of the retract circuit.

JACKS & SHOP EQUIPMENT

A Wide Variety for Hundreds of Uses

A. Hydraulic Toe Jacks

- Get under and lift equipment with only 1-1/16" (27mm) of ground clearance. Ideal for machine rigging, lift truck service, etc. Capacities of 5.5, 11 and 27.5 tons.
- Economy toe jacks in 2, 5 and 10 ton capacities.

B. Hydraulic Bottle Jacks and Telescoping Jacks

 Capacity range of 2 to 110 tons. Many models feature screw extensions. New telescoping models have extra long stroke.

C. Hydraulic Mini Jacks

 Here's 5 to 20 tons of power in the palm of your hand! Use vertically or horizontally as a jack or spreader. Needs only 2-1/2" (63.5mm) of clearance.

D. Inflatable Jacks

 Thin enough to fit in tight places where other jacks can't be used. Capacities of 1, 3, 5, 11, 22, 35, 44 and 73 tons.



-8-





E. Powerlift High Tonnage Portable Jacks

- Portable and compact; ideal for rail car, construction, mining and other heavy equipment maintenance.
- 55, 100, 150 and 200 ton models.

F. Hydraulic Shop Presses

- Capacity range of 10 to 200 tons. Choice of power options; manual, electric/hydraulic or air/ hydraulic.
- Wide range of available accessories add job versatility.
- The Roll-Bed® press design allows for easy loading and unloading of work.

G. Mobile Floor Cranes

- 2,200 and 4,400 lb. capacity.
- Adjustable leg spreads to clear obstacles, telescoping boom for extra reach. Boom collapses and legs fold for easy storage.

H. Load Positioning Slings

2,000, 4,000 and 6,000 lb.
 (909kg, 1,818kg and 2,727kg) capacity; used with crane or hoist. Enables adjustment of the load for desired tilt.

VALVES & ACCESSORIES

We Have the Extras for Your Hydraulic Needs

A. Universal Pump Cart

 Mobilize hydraulic pumps, rugged tubular frame. Variation of pumps will fit this cart.

B. Hydraulic Pressure Gauges

• A wide variety of gauges with face sizes from 2-1/2" to 6" (63.5mm to 150mm).

C. Hydraulic Hoses and Couplings

- Hose types include polyurethane, rubber and nonconductive. Lengths from 2 ft. to 100 ft (0.6m to 30.5m).
- Couplers are designed for 10,000 psi (700 bar).
- No-spill, with locking collar and flush face.

D. Hydraulic Fluid

 Standard, Flame-Out, low temperature and environmentally friendly fluids.



> Power Team



E. Directional Control Valves

 Pump- or remote-mounted versions with manual, air or solenoid actuation. For operating single-acting or double-acting cylinders at operating pressures to 10,000 psi (700 bar).

F. In-Line Hydraulic Valves

 Load lowering valves, sequence valves, pressure reducing valves and metering valves are available.

G. Hydraulic Fittings and Manifolds

• For plumbing hydraulic systems.

HYDRAULIC/MECHANICAL TOOLS

A Wide Variety for Many Uses

Count on Power Team to Provide the Mechanical Tools Needed...

- Bearing, bushing and seal driver tool sets.
- Spanner wrenches, giant adjustable wrenches and chain wrenches.
- Retaining ring plier sets, pry bars, magnetic pick-up tools and thread chasers.

A. 15 and 25 Ton Hydraulic Nut Splitters

 Split and remove fused or rusted-on nuts in seconds.

B. Hydraulic Torque Wrenches and Bolting Tensioners

- Light weight, portable tools, superior torsional strength
- Low clearance and square drive options.
- Maximum torque 28,800 ft. lbs (39,047 Nm).

C. Hydraulic 75 and 200 GPM In-line Hydraulic Testers

 Accurately measure oil flow, pressure and temperature on inplant equipment.







D. 20 and 30 Ton Post Tension/Stressing Jacks

- The most durable monostrand stressing jacks in the industry.
- Available in single- and double-acting models.

E. Hydraulic Pipe Flange Spreaders

• Eliminate hammer and chisel methods that waste time. Used in pairs to provide an even spreading force.

F. Hydraulic C Clamps

- For clamping, pressing and bending tasks. Ideal for welding and metal fabrication.
- 5 to 25 ton capacity

G. Hydraulic Spreaders

 Use to lift machines or as a clamp; spread concrete forms or rebar, or perform straightening jobs.
 1-1¹/₂ Ton capacity.

PULLERS

Discover the Power Team Pulling System

Mechanical and Hydraulic Grip-O-Matic® Pullers

- The harder they pull, the tighter they grip to easily remove gears, bearings and other press-fitted parts.
- Mechanical pullers range from 1 to 25 ton capacity.
- Hydraulic pullers offer 5 to 100 tons in capacity.
- Super Grip-O-Matic® pullers feature fast jaw spread adjustment. Hydra Grip-O-Matic® models combine puller, cylinder and pump in one integral unit.

Mechanical and Hydraulic Push-Pullers®

- Apply either pulling or pushing force to remove and install parts.
- Capacity range of 5 to 50 tons.

High Tonnage Pullers

 55 and 100 ton pullers handle difficult pulling tasks encountered in the maintenance of heavy equipment.

Special Pullers, Accessories and Puller Sets

 Slide hammer pullers, blind hole pullers, pulling attachments and pulling adapters. Puller sets available in various capacities.





SEMINARS & TRAINING

Power Team In-Plant Safety Seminars





Power Team University

Proper training is needed to operate and maintain hydraulic equipment with safety and efficiency. Power Team offers a range of Safety Training and Maintenance & Repair Training classes to help you safely operate and maintain your tools.

Seminars can be conducted at a customer facility, job site or Power Team headquarters. Contact your district sales manager for more details or call **800-477-8326**.

World Headquarters The Americas Customer Service Center

5885 11th Street Rockford, Illinois 61109 Tel: 815-874-5556

Customer Service/Order Entry Tel: 800.541.1418

Fax: 800.288.7031

Technical Services Tel: 800.477.8326 Fax: 800.765.8326 info@powerteam.com

European Customer Service Center

Albert Thijsstraat 12 6471 WX Eygelshoven The Netherlands Tel: 31 (45) 5678877 Fax: 31 (45) 5678878 infoeurope@powerteam.com

Asia Pacific Customer Service Center

7 Gul Circle Singapore 629563 Singapore Tel: (65) 6265 3343 Fax: (65) 6265 6646 infoasia@powerteam.com

China Customer Service Center

No. 1568 Hua Shan Road International Park Center 9th Floor Shanghai 200052, China Tel: 86 (21) 2208.5888 Fax: 86 (21) 2208.5682 infochina@powerteam.com

Distributed By:



HYDRAULIC TECHNOLOGIES

powerteam.com

© 2013 SPX Hydraulic Technologies Specifics subject to change without notice

PT-PL13